

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



Section 1.

Identification of the substance/Preparation and of the Company/undertaking:

1.1 Product identification

Trade Name: Sodium Laureth Ether Sulfate 70% , SLES 70%

Synonyms: (Alcohols, C12-14, ethoxylated, sulfates, sodium salts;) (Linear C12-14-alkanol, ethoxylated, sulfated, sodium salt;) SLES 70%; SLES 70% 2EO;
Sodium Laureth Sulfate

General Chemical formula: $\text{CH}_3(\text{CH}_2)_{10}\text{CH}_2(\text{OCH}_2\text{CH}_2)_n\text{OSO}_3\text{Na}$

1.2 Recommended Use: Surfactant for various applications, Ingredient in personal and home care products.

1.3 Details of the supplier of the safety data sheet

Company :Hamoudeh Industrial and trading EST
Al Mafraq – Jordan
Jaber Highway Street
Thagret Al Gub

Telephone : 00962 799079900
Fax : 00962 791602974
E-mail Address : MSDS@giantgroup.me
Responsible/issuing person : Eng. Maha Abu Reish

1.4 Emergency telephone number

+962799079900
Please refer to section 16 for full details.

Section 2. Hazards identification:

Hazard Classification: Hazardous according to the criteria of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

Hazard Categories:

Skin Corrosion/Irritation - Category 2

Serious Eye Damage/Irritation - Category 1

Acute Hazard To The Aquatic Environment - Category 2

Long-term Hazard To The Aquatic Environment - Category 3

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



Signal Word:	Warning	
Hazard Statements:	H315	Causes skin irritation.
	H318	Causes serious eye damage.
	H401	Toxic to aquatic life.
	H412	Harmful to aquatic life with long lasting effects.

Precautionary Statements: Prevention P280 Wear protective gloves/eye protection/face protection.

P273 Avoid release to the environment.

Response P305 + P351 + P338 + P310

If IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor.

P302 + P352 If ON SKIN: Wash with plenty of soap and water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

Disposal	P362	Take off contaminated clothing and wash before reuse.
	P501	Dispose of contents/container in accordance with local / regional / national /international regulations

Dangerous Goods Classification NOT Dangerous Goods according to the criteria.

Hazardous Substances and New Organisms Amendment

HSNO Classifications:	Health	6.3A	Substances that are irritating to the skin.
	Hazards	8.3A	Substances that are corrosive to ocular tissue.

SECTION 3. Composition/information on ingredients:

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Identity	CAS #	Weight Range
		SLES 2 EO
Sodium Lauryl Ether Sulphate	3088-31-1	68 – 72 %
Water	7732-18-5	24 – 28 %
Sodium Sulphate	7757-82-6	≤ 1.0 %
Unsulfated Matter	68439-50-9	≤ 2.0 %
1,4 Dioxane (relative to 100 % active matter)	123-91-1	≤ 50 ppm

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



SECTION 4. First aid measures:

4.1 Description of necessary measures according to routes of exposure

- Swallowed:** If swallowed rinse mouth, then drink 1 - 2 glasses of water. Do not induce vomiting. Call a Poison Centre or doctor/physician for advice. Never give anything by mouth to an unconscious person.
- Eye:** If in eyes Immediately flush eyes with running water for several minutes, holding eyelids open and occasionally lifting the upper and lower lids. Immediately call a Poison Centre or doctor/physician for advice. Remove contact lenses if present and easy to do. Continue rinsing for at least 15 minutes. Chemical burns must be treated promptly by a physician.
- Skin:** If on skin remove contaminated clothing and shoes immediately. Flush skin with running water for at least 15 minutes. In case of gross contamination, drench contaminated clothing and skin with plenty of water before removing clothes, or wear gloves. If skin irritation occurs, get medical advice/attention. Chemical burns must be treated promptly by a physician. Wash contaminated clothing and shoes before reuse.
- Inhaled:** If inhaled remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a Poison Centre or doctor/physician for advice. Apply resuscitation if victim is not breathing; Administer oxygen if breathing is difficult. Keep victim calm and warm - Obtain immediate medical care.

4.2 Advice to Doctor:

Immediately call a Poison Centre or doctor/physician for advice if large quantities have been ingested or inhaled.

Treat symptomatically. Ensure that attending medical personnel are aware of the identity and nature of the product(s) involved, and take precautions to protect themselves.

4.3 Medical Conditions Aggravated by Exposure:

No information available

SECTION 5. Firefighting measures:

5.1 General Measures:

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. If safe to do so, move undamaged containers from fire area. Cool containers with water spray until well after fire is out.

5.2 Flammability Conditions:

Combustible material; May burn but does not ignite readily.

5.3 Extinguishing Media:

Use dry chemical, Carbon dioxide (CO₂), foam or water spray for

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



extinction - Do not use water jet.

5.4 Fire and Explosion Hazard:

Containers may explode when heated.

5.5 Hazardous Products of Combustion:

Fire may produce irritating, toxic and/or corrosive fumes, including oxides of Sulfur

5.6 Special Fire Fighting Instructions:

Contain runoff from fire control or dilution water - Runoff may pollute waterways.

5.7 Personal Protective Equipment:

Wear self-contained breathing apparatus (SCBA) and chemical splash suit. SCBA and structural firefighter's uniform may provide limited protection.

5.8 Lower Explosion Limit: NoDataAvailable.

5.9 Upper Explosion Limit: NoDataAvailable.

5.10 Auto Ignition Temperature: NoDataAvailable.

5.11 Hazchem Code: NoDataAvailable

SECTION 6. Accidental release measures:

6.1 General Response Procedure:

No action shall be taken involving any personal risk or without suitable training. Ensure adequate ventilation. Eliminate all ignition sources. Do not touch or walk through spilled material. Avoid generating dust. Avoid breathing dust/vapours and contact with eyes, skin and clothing.

6.2 Clean Up Procedures:

Move containers from spill area. Collect material (using a vacuum with HEPA filter) and place into a suitable, labelled container for disposal (see SECTION 13). Do not dry sweep. Avoid dispersal of dust in the air (i.e. clearing dusty surfaces with compressed air). Non-sparking tools should be used.

6.3 Containment:

Stop leak if safe to do so – Prevent entry into waterways, drains or confined areas. Prevent dust cloud.

6.4 Decontamination:

No information available.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant Environmental Precautionary Measures Authorities if the product has caused environmental pollution.

6.5 Evacuation Criteria:

Spill or leak area should be isolated immediately. Keep unauthorized personnel away

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



6.6 Personal Precautionary Measures:

Use personal protective equipment as required. Wear appropriate respirator when ventilation is inadequate

SECTION 7. Handling and storage:

7.1 Handling:

Safety showers and eyewash facilities should be provided within the immediate work area for emergency use. Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid breathing dust/mist/vapours and contact with eyes, skin and clothing. Do not ingest. Use personal protective equipment as required (see SECTION 8). Combustible material: Keep away from heat and sources of ignition - No smoking. Take precautionary measures against static discharge. Avoid release to the environment.

7.2 Storage:

Store in a cool, dry and well-ventilated place, out of direct sunlight. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Keep away from heat and sources of ignition - No smoking. Keep away from food/drink and incompatible materials (see SECTION 10). Use appropriate containment to avoid environmental contamination.

7.3 Container:

Keep in the original container or an approved alternative made from a compatible material. Do not store in unlabeled containers. Empty containers retain product residue and can be hazardous. Do not reuse container.

SECTION 8. Exposure controls/personal protection:

8.1 General:

No specific exposure standards are available for this product.

Derived no-effect levels (DNELs) for Workers:

Component: Sodium Lauryl Sulphate (CAS No. 68891-38-3):

- Dermal exposure (Long-term, Systemic effects): 175 mg/m³
- Inhalation exposure (Long-term, Systemic effects): 2,750 mg/kg bw/day
-

8.2 Exposure Limits: No Data Available

8.3 Biological Limits: No information available.

8.4 Engineering Measures:

If user operations generate dust, fumes, gas, vapour or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



8.5 Personal Protection Equipment:

Respiratory protection: Wear respiratory protection in case of inadequate ventilation or if inhalation hazards exist (refer to AS/NZS 1715 & 1716).

Eye/face protection: Wear appropriate eye protection to prevent eye contact. Recommended: Chemical goggles; Face-shield. If inhalation hazards exist, a full-face respirator may be required instead.

Hand protection: Wear protective gloves. Recommended: Impervious gloves. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties.

Skin/body protection: Wear appropriate personal protective clothing to avoid skin contact. Personal protective equipment for the body, appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

8.6 Special Hazards Precautions:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

8.7 Work Hygienic Practices:

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

SECTION 9. Physical and chemical properties:

9.1 Information on basic physical and chemical properties

Appearance at 20°C:	Colorless Paste
Odour:	Odorless
Nominal Active Matter Concent:	68 ~ 72% w/w
PH 10% w/w	6.00 – 8.00
Average Molecular Mass:	384 ~ 386 g/mol
Density:	1.07 - 1.15 g/cm ³
Solubility At 20°C:	280 g/L in water 20°C
Flash Point:	>93 °C

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



9.2 Other information

Not applicable

SECTION 10. Stability and reactivity:

10.1 General Information: Under normal conditions of storage and use, hazardous reactions will not occur.

10.2 Chemical Stability: The product is stable.

10.3 Conditions to Avoid: Keep away from heat and sources of ignition.

10.4 Materials to Avoid: Incompatible/reactive with strong acids, oxidizing agents.

10.5 Hazardous Decomposition Products: Fire/decomposition may produce irritating, toxic and/or corrosive fumes, including oxides of Sulfur.

10.6 Hazardous Polymerization: Will not occur.

SECTION 11. Toxicological information:

11.1 General Information: - Acute toxicity: May be harmful if swallowed. Adverse symptoms may include stomach pains.

- Skin corrosion/irritation: Causes skin irritation. Adverse symptoms may include pain or irritation, redness, blistering may occur.

- Eye damage/irritation: Causes serious eye damage. Adverse symptoms may include pain, watering, redness.

- Respiratory/skin sensitization: Component: Sodium Lauryl Ether Sulphate (CAS No. 68891-38-3): Not (skin) sensitizing (Guinea pig)

- Germ cell mutagenicity: COMPONENT: Sodium Lauryl Ether Sulphate (CAS No. 68891-38-3): Negative (in vitro): Bacterial reverse mutation test [OECD 471; Supplier's SDS]. Negative (in vitro): Mammalian cell gene mutation test [OECD 476].

- Carcinogenicity: No information available.

- Reproductive toxicity: No information available.

- STOT (single exposure): No information available.

- STOT (repeated exposure): No information available.

- Aspiration toxicity: No information available

Acute Ingestion: Acute toxicity (Oral): COMPONENT: Sodium Lauryl Ether Sulphate (CAS No. 68891-38-3):

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



- LD50, Rat: 2,870 mg/kg bw. [OECD Guideline 401; ECHA].

Other: Acute toxicity (Dermal): COMPONENT: Sodium Lauryl Ether Sulphate (CAS No. 68891-38-3):
- LD50, Rat: >2,000 mg/kg bw. [OECD Guideline 402; ECHA].

Carcinogen Category: None

SECTION 12. Ecological information:

12.1 Ecotoxicity:

Aquatic toxicity: COMPONENT: Sodium Lauryl Ether Sulphate (CAS No. 68891-38-3):

- LC50, Fish (Danio rerio): 7.1 mg/l (96 h) Freshwater.
- EC50, Crustacean (Daphnia magna): 7.2 mg/l (48 h) Freshwater.
- NOEC, Crustacean (Daphnia magna): 0.18 mg/l (21 d) Freshwater.

12.2 Persistence/Degradability:

This product is readily biodegradable.

Component: Sodium Lauryl Ether Sulphate (CAS No. 68891-38-3):

- Ready biodegradability (DOC Die-Away Test): >70% (28 d) [OECD 301A]

12.3 Mobility: No information available.

12.4 Environmental Fate: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

12.5 Bioaccumulation Potential: Component: Sodium Lauryl Ether Sulphate (CAS No. 68891-38-3): Low bio-accumulative potential.
-Log Pow: 0.3

12.6 Environmental Impact: No Data Available

SECTION 13. Disposal considerations:

13.1 General Information:

The generation of waste should be avoided or minimized wherever possible. Dispose of surplus and non-recyclable product(s) via a licensed waste disposal contractor and in accordance with local/regional/national regulations. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

13.2 Special Precautions for Land Fill:

This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Care should be taken when handling emptied containers that have not been cleaned or rinsed out.

SECTION 14. Transport information:

14.1 Road and Rail Transport:

Not classified as a Dangerous Good under NZS 5433:2012 Transport of

MATERIAL SAFETY DATA SHEET (MSDS)

Sodium Laureth Sulfate (SLES) 2EO

Revision No. 1.0 - Revision Date 10-Jan-2021 Print Date 2021-03-24



Dangerous Goods on Land .

14.2 Marine Transport:

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea; non-dangerous goods.

14.3 Air Transport:

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air; non-dangerous goods.

14.4 UN No. NA

14.5 HS code of sodium lauryl ether sulfate (SLES) : 34021100

SECTION 15. Regulatory information:

15.1 Hazard Symbols: Xi

15.2 Risk Phrases:

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

15.3 Safety Advices:

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical help.

S39: Wear eye/face protection.

SECTION 16. Other information:

16.1 Full text of H-Statements referred to under sections 2 and 3.

H319:	Causes eye irritation
H302:	Harmful if swallowed
H332:	Harmful if inhaled
H315:	Cause skin irritation

HAMOUDEH assumes no responsibility of injury to the user or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet.

The information is based on our present knowledge and experience and intended to describe the products with a view to the safety precautions to take. It does not represent a guarantee of the properties of the product.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Telephone : 00962 799079900
Fax : 00962 791602974
E-mail Address : MSDS@giantgroup.me